

## 1. Identification of Substance & Company

**Product** 

Product name Ph Down

Other names Sodium bisulphate, sodium hydrogen sulphate

HSNO approval HSR002684

Approval description Water Treatment Chemicals (Subsidiary Hazard) Group Standard 2017

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

**Uses** Pool Chemical

**Company Details** 

Company
Physical Address
93 Ireland Road,
Mt Wellington,
1060.

Auckland New Zealand 09 527 0753 09 527 4189

 Telephone
 09 527 0753

 Fax
 09 527 4189

 Website
 www.poolwise.co.nz

**Emergency Telephone Number: 0800 764 766** 

### 2. Hazard Identification

## **Approval**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002684, Water Treatment Chemicals (Subsidiary Hazard) Group Standard 2017). The substance has been assessed as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017 and is classified as follows:

Classes

**Hazard Statements** 

8.3A

H318 - Causes serious eye damage.

### **SYMBOLS**

# **DANGER**



## **Other Classifications**

There are no other classifications that are known to apply.

### **Precautionary Statements**

P102 - Keep out of reach of children.

P103 - Read label before use.

P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE or doctor/physician.





#### 3. **Composition / Information on Ingredients**

Component	CAS/ Identification	Conc (%)
sodium bisulphate	7681-38-1	100%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

#### **First Aid** 4.

## General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

facilities

Ready access to running water is required. Accessible eyewash is required.

Exposure

**Swallowed** 

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Contact the National Poisons Centre or a Doctor immediately. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or

doctor/physician.

Skin contact

Eye contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a doctor if

experiencing any irritation.

Inhaled

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor/physician if you feel unwell.

### **Advice to Doctor**

Treat symptomatically.

#### 5. **Firefighting Measures**

Carbon dioxide, extinguishing powder, foam, fog sprays.

Fire and explosion hazards:

Suitable extinguishing

substances:

Unsuitable extinguishing

substances: Products of combustion:

Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

There are no specific risks for fire/explosion for this chemical. It is non-flammable.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

**Protective equipment:** Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eve protection.

Hazchem code: 2X

#### 6. **Accidental Release Measures**

Containment If greater than 10000kg is stored, secondary containment and emergency plans to

manage any potential spills must be in place. In all cases design storage to prevent

discharge to storm water.

In the event of spillage alert the fire brigade to location and give brief description of **Emergency procedures** 

hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers,

or water courses. (If this occurs contact your regional council immediately).

Use absorbent (soil, sand or other inert material). Rags are not recommended for the Clean-up method clean-up of spills, as they may create fire or environmental hazard. Collect and seal in

properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

**Disposal** Mop up and collect recoverable material into labelled containers for recycling or salvage.

Page 2 of 7 June 2018

Product Name: Ph Down



**Precautions** 



Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.

Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

## 7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Avoid contact with incompatible substances as listed in Section 10. Containers (and outer packaging) must bear the prescribed labelling, including the Hazchem code, UN number, flammability

warning and name of contents.

**Handling** Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of vapour, mist or aerosols.

## 8. Exposure Controls / Personal Protective Equipment

## Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA\* WES-STEL sodium bisulphate data unavailable data unavailable

\* These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.

### **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

### **Personal Protective Equipment**

Eves



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses. Select eye protection in accordance with AS/NZS 1337.

Skin

Avoid any skin contact. Wear overalls, rubber boots and impervious gloves. Protective gloves or suitably resistant material must comply with AS 2161. PVC or rubber gloves are recommended. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking.

Respiratory

A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with a dust/mist filter. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

## **WES Additional Information**

Not applicable

Page 3 of 7 June 2018

Product Name: Ph Down





## 9. Physical & Chemical Properties

Appearance clear colourless to slightly yellow coloured crystals

Odour no odour
pH 1 (1% in water)
Vapour pressure no data
Viscosity no data

**Boiling point** decomposes at 315°C

Volatile materials no data Freezing / melting point no data

Solubility approx 280g/L at 25°C Specific gravity / density 1.4-1.5 g/cm³ @20°C

Flash point no data
Danger of explosion no data
Auto-ignition temperature no data
Upper & lower flammable limits no data
Corrosiveness corrosive

## 10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

**Incompatible groups** Bases, zinc metal, tin and aluminium.

Substance Specific none known

Incompatibility

Hazardous decomposition

products

Hazardous reactions none known

## 11. Toxicological Information

Sulphur dioxide and other sulphur compounds. Sodium compounds.

#### Summary

IF SWALLOWED: may cause severe oral irritation. Symptoms may include extreme pain and reddening of skin in mouth and throat. Other symptoms such as blisters may also become evident and may last long after exposure has ceased. IF IN EYES: may cause eye damage. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms such as swelling of eyelids and blurred vision may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment is likely to cause permanent damage.

IF ON SKIN: Contact with skin may cause irritation.

IF INHALED: dust may be an inhalation irritant. Symptoms may include headache, irritation of nose and throat and increased secretion of mucous in the nose and throat.

### **Supporting Data**

Acute Oral The LD<sub>50</sub> (oral, rat) for sodium bisulphate: 2140mg/kg.

**Dermal** No evidence of dermal toxicity. **Inhaled** No evidence of acute toxicity.

**Eye** Sodium bisulphate is considered corrosive to the skin

**Skin** Sodium bisulphate is non irritant (skin, rabbit)

**Chronic** Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen.CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen.Reproductive /No ingredient present at concentrations > 0.1% is considered a reproductive or

**Developmental** developmental toxicant or have any effects on or via lactation.

**Systemic** No ingredient present at concentrations > 1% is considered a target organ toxicant.

**Aggravation of** None known.

existing conditions



## 12. Ecological Data

Summary

This mixture is not considered ecotoxic

**Supporting Data** 

Aquatic The EC<sub>50</sub> for sodium bisulphate >100mg/L.

Bioaccumulation No data
Degradability No data

**Soil** No evidence of soil toxicity.

**Terrestrial vertebrate**The LD<sub>50</sub> for sodium bisulphate >2000mg/kg. **Terrestrial invertebrate**No evidence of toxicity for terrestrial invertebrates.

**Biocidal** no data

Environmental effect levels No EELs are available for this mixture or ingredients

## 13. Disposal Considerations

**Restrictions**There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

**Disposal method**Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

## 14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA





#### **Regulatory Information** 15.

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002684, Water Treatment Chemicals (Subsidiary Hazard) Group Standard 2017. All ingredients appear on the NZIoC.

#### **Specific Controls**

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity. An inventory of all hazardous substances must be prepared and maintained. Inventory Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 10000kg is stored.

Certified handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 10000kg is stored. Required if > 1000kg is stored. Signage

Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a

location will depend on the classification and total quantities of other substances present in that location.

#### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

#### 16. Other Information

Abbreviations	
Approval Code	Approval HSR002684, Water Treatment Chemicals (Subsidiary Hazard) Group Standard 2017 Controls, EPA. www.epa.govt.nz
CAS Number	Unique Chemical Abstracts Service Registry Number

Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical Ceiling

agent to which a worker may be exposed at any time.

**Controls Matrix** List of default controls linking regulation numbers to Matrix code (e.g. T1, I16). Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test EC<sub>50</sub>

population (e.g. daphnia, fish species) FΡΔ Environmental Protection Authority (New Zealand)

**HAZCHEM Code** Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

**IARC** International Agency for Research on Cancer LEL/UEL Lower Explosive Limit/ Upper Explosive Limit

 $LD_{50}$ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% - concentration in air which is fatal to 50% of a test population LC<sub>50</sub>

(usually rats)

**NZIoC** New Zealand Inventory of Chemicals

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

Prescribed Exposure Standard means a WES or a biological exposure standard that is **PES** prescribed in a regulation, a safe work instrument or an approval under HSNO (including

group standards).

**STEL** Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

**TWA** Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

**UN Number United Nations Number** 

Page 6 of 7 June 2018





WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

DateReason for reviewJune 208Not applicable – new SDS

#### Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

